	Application No.	Applicant(s)
Notice of Allowability	10/823,853	YOKOYAMA, CHIKAFUMI
	Examiner	Art Unit
	Donald Heckenberg	1722
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>14 September 2005</u> .		
2. The allowed claim(s) is/are 10-12.		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☑ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have been received.  2. ☑ Certified copies of the priority documents have been received in Application No. 09/913,687.  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summar Paper No./Mail D 8), 7. Examiner's Amend	ate

Art Unit: 1722

The following is an examiner's statement of reasons for allowance:

The prior art of record fails to teach or suggest an assembly for making a substrate for a plasma display comprising the combination of a mold and a rib precursor as defined in claim 1 of the instant application. The closest prior art is disclosed by Chiu et al. (U.S. Pat. No. 6,247,986), Japanese Pub. No. 08-273537, Wojcik (U.S. Pat. No. 4,668,607), and Sakai et al. (U.S. Pat. No. 5,580,511), all of which are previously of record. None of these references teaches or suggests a rib precursor containing a first photo-setting initiator having a first absorption edge and a mold comprising a second photosetting initiator having a second absorptive edge wavelength that is shorter than the first absorptive edge wavelength.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Donald Heckenberg whose telephone number is (571) 272-1131. The

Application/Control Number: 10/823,853

Page 3

Art Unit: 1722

examiner can normally be reached on Monday through Friday from 9:30 A.M. to 6:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith, can be reached at (571) 272-1166. The official fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <<a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at (866) 217-9197 (toll-free).

9.21-5

Primary Examiner

A.U. 1722